

INDEX

A

Adapt commands

- Delete Settings command, 26
- Initialize command, 29
- Recall Settings, 20
- Redraw command, 30
- Save Settings, 23

Adapt/Recall Settings command

- password protected files, 21

Airway option

- Alert Time Line dialog box, 47
- Alert Time Line, 48

Alerts menu

- Examine Alerts command, 46
- list of current commands, 41
- Select Alerts command, 43
- Show/Hide Alerts command, 42

Arrivals/Departures

- in Request commands, A-1

C

CCFP

- defined, 54
- Forecast Area Data Block elements, 56
- HGHT (or Tops) information, 56
- Legend, 56

CCSD

- check buttons, 15
- configuring, 8
- defined, 1
- dialog boxes, generally, 14
- focus, 16
- information and query boxes, 17
- Internet Explorer settings, 10
- issuing commands, 12
- list buttons, 15
- menus, generally, 13
- Netscape settings, 8
- push buttons, 15
- radio buttons, 15
- role in FAA, 3

- scroll bar, 16
- starting, 11
- text entry fields, 15
- tips on using, 6
- title bars, 14
- types of data displayed, 1
- UNIX platform, 6
- value change buttons, 15
- Windows platform, 6

Collaborative Convective Forecast Product.

See CCFP

Columns and Sort option

- Table of options, A-10
- in Request VT command, 115

Combined Report button

- in Select FEA/FCA dialog box, 70

Command Line

- defined, 91
- Request Area, 92

Command Line dialog box, 91

Common Constraint Situation Display (CCSD)

See CCSD

Count option

- in Request Count command, 99

Create FEA command

- defined, 71
- Filters Tab, 77
- Parameters Tab, 73
- Polygon, how to draw, 76

Create FEA dialog box, 72

D

Delete FEA command

- defined, 89

Delete Settings command

- defined, 26
- Delete Settings dialog box, 26
- Incorrect Password dialog box, 28
- Password dialog box, 27
- Previous Password dialog box, 27
- User List dialog box, 26

Display menu

- Adapt commands, 20
- Adapt/Delete Settings command, 26

- Adapt/Recall Settings command, 20
- Adapt/Save Settings command, 23
- Delete Settings command, 26
 - Initialize command, 29
 - list of current commands, 18
 - Redraw command, 30
 - Save Settings command, 23
 - Show Times command, 19
 - Time Menu dialog box, 19

E

- Edit FEA command
 - defined, 80
 - dialog box, 80
- Enhanced Traffic Management System (ETMS)
 - defined, 2
 - user support hotline, 5
- Every option
 - in Request Area command, 92
 - in Request ARRD command, 95
 - in Request Count command, 99
 - in Request FIXL command, 103
 - in Request List command, 108
 - in Request VT command, 114
- Examine Alerts command
 - Alert Report, 48
 - Alert Time Line dialog box, 47
 - color of time bar segment, 47
 - defined, 46
 - dialog box, 46
- Examine FEA/FCA command
 - defined, 81
 - dialog box, 81

F

- FEA/FCA Time Line, 82
 - filter for airlines on FCA Report, 87
 - Reroute Intent dialog box, 86
 - Examine FEA/FCAs dialog box
 - Info button, 85
 - Reroute button, 85

- FCA Information dialog box, 85
- FCA Report
 - Hold/Refresh button, 84
 - FEA/FCA Information dialog box, 68
- FEA/FCA menu
 - Create FEA command, 71
 - Delete FEA command, 89
 - Edit FEA command, 80
 - Examine FEA/FCA command, 81
 - list of current commands, 64
 - Select FEA/FCAs command, 66
 - Show/Hide FEA/FCAs command, 65
- FEA/FCA Report button (Time Line), 83
 - FEA/FCA Time Line, 82
 - FEA/FCA Report button, 83
 - Total Counts button, 82
- FEA/FCA Time Line
 - Peak Counts button, 82
- Filter Flights
 - Remarks keyword table, 79, 83
- Filter option
 - in Request Count command, 99
 - in Request List command, 107
 - in Request VT command, 114
- Filters Tab
 - in Create FEA command, 77
- Flights Filter tab
 - Entry fields (table), 78

G

- General Aviation (GA) option
 - in Request ARRD command, 95
- Gstop option
 - in Request Count command, 99

H

- Heading and Speed
 - in Moving Parameters (Create FEA), 75
 - HGHT (or Tops) in CCFP, 56
 - Hold/Refresh button (FCA Report), 84
- Hubsite option
 - in Request Area command, 92
 - in Request FIXL command, 103
 - in Request VT command, 115

I

Info button (Examine FEA/FCAs), 85
 Info button (Select FEA/FCAs), 68
 Initialize command
 defined, 29
 Internet Explorer settings for CCSD, 10

M

Maps menu
 list of current commands, 31
 Move/Zoom command, 32
 Overlays command, 36
 Range Rings command, 34
 Show Map Item command, 38

Monitor Alert Parameters (MAP)
 defined, 47
 Move/Zoom command
 defined, 32
 dialog box, 32

N

National Convective Weather Forecast.
 (NCWF)
 defined, 57
 forecast polygons, 58
 performance record, 58
 thunderstorms, 58
 Times box, 58
 Netscape settings for CCSD, 8
 NOWRAD
 defined, 53
 levels of intensity, 54
 levels of precipitation, 54

O

OAG option
 in request commands, 18
 Overlays command
 defined, 36
 dialog box, 36

P

Parameters tab
 Altitude Range fields (table), 73
 Characteristics, 74
 Drawing Control fields (table), 74
 Moving Parameters fields, 75
 Moving Parameters, 73
 Time Range fields (table), 73
 Password
 Delete Settings command, 27
 how to add to setting file, 25
 how to remove from settings file, 25
 Recall Settings command, 21
 Save Settings, 24
 Peak Counts button (FEA/FCA), 82
 Primary Place of Interest (PPI) in Request
 Count command, 98

R

Range Rings command
 defined, 34
 dialog box, 34
 Recall Settings command, 20
 dialog box, 20
 how to recall a file, 21
 Incorrect Password dialog box, 22
 List Users dialog box, 21
 password protected files, 21
 Redraw command
 defined, 30
 Request Area command, 92
 Every option, 92
 Hubsite option, 92
 report, 93
 Time period option, 92
 Request ARRD command
 caps option, 95
 defined, 94
 Every option, 95
 GA option, 95
 report, 96
 stak option, 95
 table of options, 94
 time period option, 94

- Request Count command
 - Count option, 99
 - defined, 98
 - Every option, 99
 - Filter option, 99
 - Gstop option, 99
 - report, 101
 - Specifying the Location, 98
 - Time period option, 99
 - Request FCATA command
 - defined, 102
 - report, 102
 - Request FIXL command
 - defined, 103
 - Every option, 103
 - Hubsite option, 103
 - report, 104
 - time period option, 103
 - Request LIFP command
 - defined, 105
 - report, 105
 - Request List command
 - Column and Sort Options, 108
 - defined, 107
 - Every option, 108
 - Filter option, 107
 - report, 109
 - Sort option, 108
 - Specifying Arrivals or Departures, 107
 - Specifying the Location, 107
 - Time period option, 107
 - Request Listo command
 - defined, 111
 - report, 111
 - Request VT command
 - Columns option, 115
 - defined, 113
 - Every option, 114
 - Filter option, 114
 - Hubsite option, 115
 - Primary Place of Interest (PPI), 113
 - report, 115
 - Secondary Places of Interest (SPI), 113
 - Setlen option, 115
 - Sort option, 115
 - Specifying Arrivals or Departures, 113
 - Specifying the Time Type, 113
 - table of VT time types, 113
 - Time period option, 114
 - Reroute dialog box, 61
 - table of reroute options, 62
 - Reroute Information dialog box, 63
 - Reroute Intent dialog box, 86
 - Reroute menu
 - list of current commands, 59
 - Select Reroutes command, 61
 - Show/Hide Reroutes command, 60
- S**
- Save Settings command
 - defined, 23
 - dialog box, 23
 - how to add password, 25
 - how to remove password, 25
 - Incorrect Password dialog box, 25
 - Password, 24
 - Settings List dialog box, 24
 - User List dialog box, 23
 - Secondary Places of Interest (SPI) in Request Count command, 98
 - Sector option
 - in filter selections, 6
 - Select Alerts command
 - defined, 43
 - dialog box, 43
 - icon colors, 44
 - Select FCAs command
 - defined, 66
 - Select FEA/FCAS dialog box
 - Combined Report button, 70
 - Info button, 68
 - Select FEA/FCAs command
 - dialog box, 66
 - Select Reroutes command
 - defined, 61
 - Reroute Information dialog box, 63
 - Select Weather command
 - CCFP, 54
 - defined, 52
 - dialog box, 52
 - NCWF, 57

NOWRAD, 53

Setlen option

- in request commands, 17
- in Request VT command, 115

Show Map Item command

- defined, 38
- dialog box, 38

Show Times command

- defined, 19
- Time Menu dialog box, 19

Show/Hide Alerts command

- defined, 42

Show/Hide FEA/FCAs command, 65

Show/Hide Reroutes command, 60

Show/Hide Weather command, 51

Sort option

- in Request List command, 108
- in Request VT command, 115

SPI

- in Request commands, 2

Stak option

- in Request ARRD command, 95

T

Time Menu dialog box, 19

Time period option

- in Request ARRD command, 94
- in Request Count command, 99
- in Request FIXL command, 103
- in Request List command, 107
- in Request VT command, 114
- relative time periods, 4
- selecting time/date, 3

Tools menu

- Command line, 91
- list of current commands, 90
- Request Area command, 92
- Request ARRD command, 94
- Request Count command, 98
- Request FCATA command, 102
- Request FIXL command, 103
- Request LIFP command, 105
- Request List command, 107
- Request Listo command, 111
- Request VT command, 113

Traffic Management

- ETMS and the TSD, 2
- ground delay program, 3
- role of sector controller, 2
- role of traffic manager, 2

Traffic Situation Display (TSD)

- defined, 3

U

UNIX platform, using CCSD on, 6

User support

- for WSD/CCSD, 5

V

Verify Time. See Request VT command

Version command

- defined, 118

W

Weather menu

- CCFP, 54
- Forecast Area Data Block elements, 56
- list of current commands, 50
- NCWF, 57
- NOWRAD, 53
- Select Weather command, 52
- Show/Hide Weather command, 51

Windows platform, using CCSD on, 6

WSD

- contact information, 4